

Docket No.: 1381-0284P
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Hakan BARNEMAN et al.

Application No.: 10/053,578

Confirmation No.: 3991

Filed: January 24, 2002

Art Unit: N/A

For: PROCEDURE AND APPARATUS FOR
THE INSTALLATION OF AN
ELEVATOR

Examiner: Not Yet Assigned

REPLY TO NOTICE OF NON-COMPLIANT AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicants have received a Notice of Non-Compliant Amendment mailed July 11, 2007. The Notice states that Amendments to the claims do not accurately reflect the changes to last claim listing which was filed on February 27, 2006 and entered with RCE filed September 27, 2006.

Applicants have reviewed the recent Amendment filed on May 24, 2007 and believe that it does in fact accurately reflect that changes to the claims that were entered in the Amendment of February 27, 2006.

Applicants contacted Examiner Greenhut on July 23, 2007. After reviewing the situation, Examiner Greenhut agreed that it appeared that the listing was correct.

Accordingly, Applicants submit that the amendments to the claims and the remarks presented therewith in the recent Amendment of May 24, 2007 are proper and can be considered. Accordingly, an early and favorable action is respectfully requested.